

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1 of 5

WINDOWIZE

Revision 0
Revision date 2011-03-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Windowize
Product code	

1.3. Details of the supplier of the safety data sheet

Company	Fenwick's Limited
Address	Fir Tree Lane Chorley Cheshire CW5 8JX England
Web	www.fenwicks.info
Telephone	+44 (0)1270 524111
Fax	+44 (0)1270 524111
Email	info@fenwicks.info

1.4. Emergency Telephone Number

Emergency Tel Number	07766 706294
----------------------	--------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Main Hazards	No Significant Hazards
--------------	------------------------

2.3. Other Hazards

The product is classified as non hazardous
--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%/w)	Classification
CALCIUM CARBONATE (Calcium carbonate total inhalable dust)		1317-65-3	215-279-6		30-40%	
Glycerol (Glycerol, mist)		66-81-5			1-10%	

WINDOWIZE

Revision 0
Revision date 2011-03-16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye Contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin Contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions
--	--

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

WINDOWIZE

Revision 0
Revision date 2011-03-16**SECTION 8: Exposure controls/personal protection**

8.1. Control Parameters

8.1.1 Exposure Limit Values

CALCIUM CARBONATE	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
CALCIUM CARBONATE (Calcium carbonate total inhalable dust)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: -
CALCIUM CARBONATE (Calcium carbonate total inhalable dust) (Calcium carbonate respirable)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
CALCIUM CARBONATE (Calcium carbonate total inhalable dust) (Calcium carbonate respirable) (Limestone total inhalable)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: -
CALCIUM CARBONATE (Calcium carbonate total inhalable dust) (Calcium carbonate respirable) (Limestone total inhalable) (Limestone respirable)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: -
CALCIUM CARBONATE CALCIUM CARBONATE (Calcium carbonate total inhalable dust) (Calcium carbonate respirable) (Limestone total inhalable) (Limestone respirable) (Marble total inhalable)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
Glycerol	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

SECTION 9: Physical and chemical properties

WINDOWIZE

Revision 0
Revision date 2011-03-16

9.1. Information on basic physical and chemical properties

Colour	Cream
Odour	Mild
pH	7.5 +/- 0.5
Description	Paste

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1.4. Toxicological Information

CALCIUM CARBONATE (Calcium carbonate total inhalable dust) (Calcium carbonate respirable) (Limestone total inhalable) (Limestone respirable) (Marble total inhalable) (Marble respirable)	Oral Rat LD50 = >5000mg/kg
Technical White Oil VG 15	Oral Rat LD50 = >2000mg/kg

SECTION 12: Ecological information

12.1. Toxicity

	No known adverse environmental effects.
--	---

SECTION 13: Disposal considerations

General Information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

Further Information

	The product is not classified as dangerous for carriage.
--	--

WINDOWIZE

Revision 0
Revision date 2011-03-16**SECTION 15: Regulatory information**

Labelling

Risk phrases	No Significant Hazard.
--------------	------------------------

SECTION 16: Other information

Other Information

Text of risk phrases in Section 3	R22 - Harmful if swallowed. R36 - Irritating to eyes.
-----------------------------------	--

Further Information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--

Legal Disclaimer

	The purpose of the above information is to describe the products only in terms of health and safety requirements. The information given should not, therefore, be construed as guaranteeing specific properties or as specification. Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use.
--	---